| INFORMATION DISCLOSURE STATEMENT<br>PTO-1449 | ATTY. DOCKET NO.<br>39766-0033 CP2C2C1 | SERIAL NO.<br>10/698,597 |
|---|---|---|
| | APPLICANT Presta, et al. | |
| | FILING DATE 10/31/2003 | GROUP 1642 |

**U.S. PATENT DOCUMENTS**

| EXAMINER'S INITIALS | PATENT NO. | DATE | NAME | CLASS | SUBCLASS | FILING DATE |
|---|---|---|---|---|---|---|
| | | | | | | |

**FOREIGN PATENT DOCUMENTS**

| EXAMINER'S INITIALS | PATENT NO. | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES | TRANSLATION NO |
|---|---|---|---|---|---|---|---|
| MD | *EP 455 460 | 11/06/1991 | EPO | C12N | 15/12 | ☐ | ☐ |
| MD | *EP 522 530 | 01/13/1993 | EPO | C12N | 15/12 | ☐ | ☐ |

**OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)**

| | |
|---|---|
| MD | *Allen et al., "Cloning of a Non-Catalytic Form of Human trkB and Distribution of Messenger RNA for trkB in Human Brain," Neuroscience 60(3): 825-836 (1994) |
| | *Barde et al., "Purification of a New Neurotrophic Factor from Mammalian Brain," EMBO Journal 1(5): 549-553 (1982) |
| | *Berkmeier et al., "Neurorrophin-S: A Novel Neurotrophic Factor that Activates trk and trkB," Neuron 7: 857-866 (November 1991) |
| | *Davies et al., "p75-Deficient Trigeminal Sensory Neurons have an Altered Response to NGP but not to Other Neurotrophins," Neuron 11: 565-574 (October 1993) |
| | *Dowbarn et al., "Cloning of a Human trkB Gene and Distribution in Human Brain by in situ Hybridization," British Journal of Pharmacology (Proceedings Supplement) 111 (1994) |
| | *Eager, "Molecular Characterization of Human trk Proto-oncogene Product Monoclonal Antibodies," Oncogene 6: 819-824 (1991) |
| | *Ernfors et al., "Molecular Cloning and Neurotrophic Activities of a Protein with Structural similarities to Nerve Growth Factor: Developmental and Topographical Expression in the Brain," Proc. Natl. Acad. Sci., USA 87: 5454-5458 (July 1990) |
| | *Hallbook et al., "Evolutionary Studies of the Nerve Growth Factor Family Reveal a Novel Member Abundantly Expressed in Xenopus Ovary," Neuron 6: 845-858 (May 1991) |
| | *Hamel et al., "Neurotrophin Gene Expression by Cell Lines Derived from Human Cliomas," Journal of Neuroscience Research, 34(2): 147-157 (2/1/1993) |
| | *Herrmann et al., "Mediation of NGF-stimulated Extracellular-Matrix Invasion by the Human Melanoma Low-affinity p75 Neurrophin Receptor: Melanoma p75 Functions Independently of trkA," Mol. Biol. Cell 4: 1205-1216 (November 1993) |
| | *Hohn et al., "Indentification and Characterization of a Novel Member of the Nerve Growth Factor/brain Derived Neurotrophic Factor Family," Nature 344: 339-341 (March 22, 1990) |
| | *Ibanez et al., "Disruption of the Low Affinity Receptor-Binding Site in NGF allows Neuronal Survival and Differentiation by Binding to the trk Gene Product," Cell 69: 329-341 (April 17, 1992) |



/Minh Tam Davis/ (02/20/2007)

| | |
|---|---|
| MD | *Ip et al., "Mammalian Neurotrophin-4: Structure, Chromosomal localization, tissue distribution, and Receptor Specificity," Proc. Natl. Acad. Sci. USA 89: 3060-3064 (April 1992) |
| | *Jean-Philippe Merlio, et al., "Increased Production of the TrkB Protein Kinase Receptor after Brain Insults," Neuron 10(2): 151-164 (2/1/1993) |
| | *Jones et al., "Molecular cloning of a Human Gene that is a Member of the Nerve Growth Factor Family," Proc. Natl. Acad. Sci. USA 87: 8060-8064 (1990) |
| | *Kaisho et al., "Cloning and Expression of a CDNA encoding a Novel Human Neurotrophic Factor," FEMS LETTERS 266(1,2): 187-191 (June 1990) |
| | *Klein et al., "The trkB Tyroins Protein Kinase ia a Receptor for Brain-Derived Neurotrophic Factor and Neurotrophin-3," Cell 66: 395-403 (July 26,1991) |
| | *Klein et al., "trkB, A novel Tyrosine Protein Kinase Receptor Expressed During mouse Neural Development," EMBO Journal 8(12): 3701-3709 (1989) |
| | *Lamballe et al., "trkC, A New Member of the trk Family of Tyrosine Protein Kinases, Is a Receptor for Neurotrophin-3," Cell 66: 967-979 (September 6, 1991) |
| | *Leibrock et al., "Molecular cloning and Expression of Brain-Derived Neurotrophic Factor," Nature 341: 149-152 (September 14, 1989) |
| | *Levi-Montalcini et al., "Nerve Growth Factor," Physical Rev. 48(3): 535-569 (July 1968) |
| | *Maisonpierre et al., "Neurotrophin-3: A Neurotrophic Factor Related to NGF and BDNF," Science 247: 1445-1451 (March 23, 1990) |
| | *Mark et al., "Expression and Characterization of Hepatocyte Growth Factor Receptor-IgG Fusion Proteins," Journal of Biological Chemistry 267(36): 26166-26171 (1992) |
| | *McGregor et al., "Molecular Cloning of the cDNA for Human trkC (NTRK3), Chromosomal Assignment, and Evidence for a Splice Variant," Genomics 22: 267-272 (1994) |
| | *Meakin et al., "The Nerve Growth Factor Family of Receptors," TINS 15(9): 323-331 (1992) |
| | *Middlemas et al., "trkB, A Neural Receptor Protein-Tyrosine Kinase: Evidence for a Full-Length and Two Truncated Receptors," Molecular & Cellular Biology 11(1): 103-153 |
| | *Nakagawara et al., "Cloning and Chromosomal Localization of the Human trk-B Tyrosine Kinase Receptor Gene (NTRK2)," Genomics 25(2): 538-546 (1995) |
| | *Rabizadeh et al., "Induction of Apoprosis by the Low-Affinity NGF Receptor," Science 261: 345-348 (July 16, 1993) |
| | *Rodriguez-Tabar et al., "Binding of Neurotrophin-3 to its Neuronal Receptors and Interactions with Nerve Growth Factor and Brain-Derived Neurotrophic Factor," EMBO Journal 11(3): 917-922 (1992) |
| | *Rosenthal et al., "Primary Structure and Biological Activity of a Novel Human Neurotrophic Factor," Neuron 4: 767-775 (May 1990) |
| | *Shelton et al., "Human trks, Molecular Cloning, Tissue Distribution, and Expression of Extracellular Domain Immunoadnesins," The Journal of Neuroscience 15(1): 477-491 (1995) |
| | *Shelton et al., "Molecular Cloning and Expression of Human trk trkB, and trkC," Society for Neuroscience Abstracts 19(1-3): 1301 (1993) |
| ↓ | *Squinto et al., "trkB Encodes a Functional Receptor for Brain-Derived Neurotrophic Factor and Neurotrophin-3 but Not Nerve Growth Factor" Cell 65:885-893 (May 31, 1991) |

/Minh Tam Davis/ (02/20/2007)

| | |
|---|---|
| MD | *Thoenen et al., "The Physiological Function of Nerve Growth Factor in the Central Nervous System: Comparison with the Periphery," Rev. Physiol. biochem. Pharmacol. 109: 146-178 (1987) |
| MD | *Zaal Kokaia et al., "Rapid Increase of BDNF mRNA Levels in Cortical Neurons Following Spreading Depression; Regulation by Glutamatergic Mechanisms Independent of Seizure Activity," Molecular Bruin Research, 19(4): 277-286 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| EXAMINER/Minh Tam Davis/ (02/20/2007) | DATE CONSIDERED |

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.